# Wave-Ice and Air-Ice-Ocean Interaction During the Chukchi Sea Ice Edge Advance

S. F. Ackley, T. Maksym, S. Stammerjohn UTSA, San Antonio TX; WHOI Woods Hole, MA; INSTAAAR Boulder CO

phone: 210 458 6793 (Ackley) fax: (210) 458-4469 (Ackley)

emails: Stephen.ackley@utsa.edu; tmaksym@whoi.edu; Sharon.Stammerjohn@colorado.edu

Award Numbers: N00014-13-1-0435; N00014-13-1-0434; N00014-13-1-0446 http://www.apl.washington.edu/project/project.php?id=arctic\_sea\_state

### LONG-TERM GOALS

Ocean Heat: In the new Arctic summer ice regime, with extended open water periods in areas previously covered with sea ice, ocean heat, received during these summer ice-free periods, may be either confined to the surface mixed layer or enter deeper ocean waters. Our goal is to determine the amount and disposition of ocean heat received and determine whether it is exhausted during fall freeze-up and affects only initial ice growth or, remains in the ocean and has residual effects on ice growth during winter and spring.

Sea State Regime: Large expanses of ice-free water in the Chukchi Sea in the late summer have potentially changed the impact of fall storms by creating wave fields in the vicinity of the advancing ice edge. A goal is to determine if larger amounts of frazil ice and increased turbulence levels in the water column result, leading to significant increases in pancake ice formation and higher incorporation of sediment into pack ice in the continental shelf regions.

### **OBJECTIVES**

- Conduct a complete (the first) wave-ice interaction field experiment that adequately documents the relationship of a growing pancake ice cover with a time and space varying measured wave fields
- Document the state of sea ice advance, i.e., rate of advance, sea ice properties and thickness evolution, and compare rates relative to presence/absence of waves and on changing heat/freshwater content
- Document the state of ocean-atmosphere-ice interactions before and during the autumn sea ice advance to assess seasonal changes in ocean heat/freshwater content and effects on ice-ocean interactions post ice formation
- Provide the necessary data to allow ocean-atmosphere-ice interactions and pancake ice growth at
  the advancing ice edge, including waves, to be correctly parameterized in the next generations of
  ice-ocean coupled models and wave prediction models

maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to ompleting and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding and DMB control number.	ion of information. Send comment arters Services, Directorate for Inf	s regarding this burden estimate ormation Operations and Reports	or any other aspect of the s, 1215 Jefferson Davis	his collection of information, Highway, Suite 1204, Arlington		
1. REPORT DATE 30 SEP 2014		2. REPORT TYPE		3. DATES COVERED <b>00-00-2014 to 00-00-2014</b>			
4. TITLE AND SUBTITLE			5a. CONTRACT NUMBER				
	Ice-Ocean Interacti	5b. GRANT NUMBER					
Edge Advance			5c. PROGRAM ELEMENT NUMBER				
6. AUTHOR(S)			5d. PROJECT NUMBER				
					5e. TASK NUMBER		
			5f. WORK UNIT NUMBER				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)  University of Texas San Antonio,San Antonio,TX,78249					8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITO	RING AGENCY NAME(S) A		10. SPONSOR/MONITOR'S ACRONYM(S)				
			11. SPONSOR/MONITOR'S REPORT NUMBER(S)				
12. DISTRIBUTION/AVAIL Approved for publ	LABILITY STATEMENT ic release; distribut	ion unlimited					
13. SUPPLEMENTARY NO	TES						
14. ABSTRACT							
15. SUBJECT TERMS							
16. SECURITY CLASSIFIC		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON			
a. REPORT <b>unclassified</b>	b. ABSTRACT <b>unclassified</b>	c. THIS PAGE <b>unclassified</b>	Same as Report (SAR)	5			

**Report Documentation Page** 

Form Approved OMB No. 0704-0188 • Provide the necessary data to improve and refine remote sensing algorithms that aspire to describe sea ice morphology (signatures of brash, pancake ice and young congelation ice) during sea ice advance.

# **APPROACH**

The principal field activity of the SeaState DRI will be a 38-day cruise on the R/V Sikuliaq in Sept-Oct 2015. Within the full suite of ice-wave and ocean- ice-atmosphere interaction studies that will be needed in this work, we propose a comprehensive, multiplatform suite of measurements that will characterize the ice cover and upper ocean, and importantly, their co-evolution over spatial scales that can capture their horizontal (i.e., north-south) variability during the ice edge advance. The Table lists the instrumentation and parameters that will be measured using the ship platform and buoys deployed during the cruise to achieve our main objectives.

Instrument	Location	<b>Physical Component</b>	Measurements	Duration	Lead
Ocean gliders	Ahead of ice	Upper ocean (0-200m)	T, S, O2, bio-optics,	During	CU-B
	edge		currents	cruise	UAF
Autonomous	Under ice, up to	Ice thickness, floe-size	ADCP, CTD,	During	WHOI
underwater vehicle	50km transects	distribution, waves,	camera,multibeam	cruise	
(AUV)		upper ocean properties	sonar		
Acrobat Towed	Ahead, at and	Upper Layer	Discrete T; S at one	~1 year	CU-B
Vehicle; CTD	inside ice edge;	Properties of Polar	level (UpTempo	(buoys)	UAF
casts; Upper	Stations and	Ocean (2-300 m)	buoys); profiling	and During	UW
Ocean Buoys	Underway		CTD casts; Acrobat	cruise	
			Towed Vehicle		
Airborne	Ahead, at and	Surface meteorology	T, SLP	~1 year	CU-B
expendable Ice	inside ice edge				UW
Buoy (AXIB)					
Unmanned	Ice edge vicinity	Surface	Airborne digital	During	WHOI
Airborne Vehicle		characterization, ice	photography	Cruise	
(UAV)		concentration, floe			
		size distribution			
Electromagnetic	Underway in sea	Snow/sea ice thickness	Conductance	During	UTSA
Induction (EMI)	ice		estimated thickness	cruise	
Marine Lidar	Underway in sea	Surface Topography	Range and Elevation	During	UTSA
	ice			cruise	
Stereo digital	Underway in sea	Sea ice concentration,	Digital (stereo)	During	UTSA
camera	ice	type and floe	photography	cruise	
		distribution			
FMCW Snow	Underway in sea	Snow Depth and	Line track of snow	During	UTSA
Radar	ice	Surface and Snow-Ice	depth from returned	cruise	
		Interface Roughness	radar pulses		
Infrared Camera	Underway in sea	Surface Temperatures	Images from FLIR	During	UTSA
	ice	of snow, ice and water	infrared digital	cruise	
			imager		
Ice Mass Balance	Inside ice edge	Ice mass balance	T in snow-ice-ocean,	~1 year	WHOI
(IMB) buoys	w/>50cm		T, SLP at surface		CRREL
	thickness				

(SeaState DRI Investigator by Institution Team: Ackley-UTSA; Maksym-WHOI;Stammerjohn CU-B) (Guest Investigator(s) by Institution Team: Winsor-UAF; Steele&Rigor-UW; Perovich-CRREL)

### WORK COMPLETED

(Ackley,Maksym,Stammerjohn) The field program part of the science plan strategy was written including preparation of figures, the instrumentation tables and deployment schematic diagram, cruise track map, and summary table of processes to be investigated, including all other DRI investigations as well as the Ocean Heat and Ice-Wave interaction studies under this set of grants. Commitments for deployment of additional buoys were reaffirmed from U of Washington and CRREL.Mike Steele and Ignatius Rigor (UW) plan to have us deploy UpTempo Buoys (Steele) and AXIB or SVP buoys (Rigor) which will augment the DRI, as well as satisfy their program objectives. Don Perovich (CRREL) has also committed one CRREL Ice Mass Balance Buoy, which together with buoys from WHOI (see below) will increase our probability of monitoring ocean heat flux throughout the winter period from initial ice growth to spring-summer decay.

(Ackley) A DURIP proposal was funded this past year and funding (\$510K) received for an innovative Sea Ice Measurement System which is being designed for vessel mounting on the Sikuliaq DRI 2015 cruise. The procurements have been initiated for the Riegl Lidar, Snow Radar (Kansas Univ), Geonics EM 31 and FLIR Infrared Camera to be used in this new system(see Table of Instrumentation above). A tour of the Sikuliaq with the Science Operations Coordinator identified the placement for mounting the Lidar and Cameras on the deck over the bridge, and the use of the port side crane for slinging the EMI and Snow Radar for underway measurements. Part of the DURIP monies were designated for instrumentation to be used in any surface sea ice investigations on the cruise, a GSSI multi-frequency EMI for hand-held use on ice, and a GSSI Ground Penetrating Radar for snow depth and ice thickess from the surface. Analyses were conducted of previous Lidar data from sea ice for surface roughness and drag coefficients and of prior deployment results from Ice Mass Balance buoys (see Publications List). These analyses have provided the basis for planning the data requirements for the DRI instrumentation during the field program. Ice edge traverse cruise modules have been designated and design of the ice edge transects using the new suite of instrumentation has been initiated.

(Maksym) Build of the SeaBed-100 AUV has been completed and is in preparation for trials at WHOI beginning in October. Visits to the Sikuliaq in July and August at WHOI, options for deployment and recovery were explored. A Seatronics ROV has been acquired and tested at WHOI. This ROV has been equipped with a Norbit WBMS broadband multibeam sonar, a Nortek 500 kHz AD2CP, and a hyperspectral radiometer. A Seabird Fastcat-49 CTD will also be added. This ROV will complement the AUV for potential under ice mapping within the pack and for investigation of ice growth processes at the advancing ice edge. Based on experience during deployment of autonomous buoys, two possibilities for the IMB/GPS buoy array are being evaluated – SAMS IMBs as deployed for the MIZ DRI, with improved GPS, or a new WHOI designed IMB. The latter has the capacity for inclusion of additional sensors such as acoustic snow depth sensors and upper ocean conductivity sensors. DJI Phantom quadcopters for aerial monitoring of ice conditions have been tested.

(Stammerjohn) Discussion with Peter Winsor, U of Alaska, resulted in plans for his contributions of instrumentation, two gliders and the Acrobat towed vehicle, to be used in the Sikuliaq 2015 cruise, significant additions (at minimal cost) to the regional study of ocean heat and sea state during the cruise. Work was initiated on creating and refining analytical tools for processing/analyzing hydrographic data from the multiple platforms that will be deployed during the 2015 cruise.

# RESULTS

Most activities were focussed on planning, procurements of equipment and vessel mounting designs and, with the experimental/field nature of this investigation, no specific DRI results are expected until after the field data is obtained in 2015. Analysis techniques were refined and resulted in the Publications, using previously obtained sea ice data, listed below.

### IMPACT/APPLICATIONS

No significant applications as yet.

#### RELATED PROJECTS

The ONR MIZ DRI this year provides some guidance for next year's cruise, as some of the buoys have begun to freeze back in again. How the freeze-up advances and any effect of waves on this advance will help guide buoy deployments in October 2015 on the SeaState cruise. Within the Sea State DRI(list below), a closely related project is the theory/modeling studies of Hayley Shen. Parameters derived from our Sea Ice Measurement System and ship-based camera, of floe size distributions, ice concentration and ice thickness will be used in her analytical modeling simulations of ice-wave interaction. Peter Guest/Chris Fairall's project will provide atmospheric forcing data to inform analysis of ice formation rates and liberation of ocean heat. Martin Doble/Peter Wadham's deployment of wave buoys will provide information on the dynamic forcing to inform our observations of autumn ice advance.

# An Arctic Ice/Ocean Coupled Model with Wave Interactions

Squire, Williams, and Holt

Wave-Ice Interaction in the Marginal Ice Zone: Toward a Wave-Ocean-Ice Coupled Modeling System

Rogers

An Integrative Wave Model in the Marginal Ice Zone Based on a Rheological Parameterization

Shen

Proving and Improving Wave Models in the Arctic Ocean and its MIZ

Wadhams and Doble

Wave Climate and Wave Mixing in the Marginal Ice Zones of Arctic Seas: Observations and Modeling

Babanin

**Storm Flux: Heat and Momentum Transfer in the Arctic Air–Sea–Ice System** *Thomson* 

Quantifying the Role of Atmospheric Forcing in Ice Edge Retreat and Advance Including Wind-Wave Coupling

Fairall, Persson, and Guest

Wave-Ice and Air-Ice-Ocean Interaction During the Chukchi Sea Ice Edge Advance Ackley, Maksym, and Stammerjohn

Radar Remote Sensing of Ice and Sea State and Boundary Layer Physics in the Marginal Ice Zone

Graber

Wave Processes in Arctic Seas Observed from TerraSAR-X

Gemmrich and Lehner

# **PUBLICATIONS**

- Thomson, J. et al, Sept 2013, Sea State and Boundary Layer Physics of the Emerging Arctic Ocean: Science Plan, Tech Report, APL-UW-TR1306, Applied Physics Lab, UW, Seattle, 59pp [published] Available at: http://www.apl.washington.edu/project/project.php?id=arctic sea state
- Ackley, S.F. et al. (6 others), accepted, Surface Flooding of Antarctic summer sea ice, Annals of Glaciology (publication 2015)
- Ackley, S.F., E. Murphy and H. Xie (accepted), Ocean heat flux under Antarctic sea ice in the Bellingshausen and Amundsen Seas, Annals of Glaciology (publication 2015)
- Weissling, B. and S.F. Ackley (accepted) Spectral Analysis of Amundsen Sea Pack Ice Roughness and Estimates of Air-Ice Drag Coefficient, Annals of Glaciology (publication 2015)
- Williams, G\*., T. Maksym\*, J. Wilkinson\*, C. Kunz, P. Kimball, H. Singh, Thick and deformed Antarctic sea ice mapped with autonomous underwater vehicles, submitted *to Nature Geoscience*(in revision). \* these authors contributed equally to this work.
- Maksym, T., H. Singh, C. Bassett, A. Lavery, L Freitag, F. Sonnichsen, J. Wilkinson (2014), Oil spill detection and mapping under Arctic sea ice using autonomous underwater vehicles, *Bureau of Safety and Environmental Enforcement*, 99 pp. http://www.bsee.gov/Research-and-Training/Oil-Spill-Response-Research/Projects/Project1000/